

Mountain Pine Beetle Infestation Area, Central British Columbia: Regional Geochemical Data Repository Project (parts of NTS 082, 092, 093)¹

by W. Jackaman²

KEYWORDS: mountain pine beetle, mineral exploration, geochemistry, multi-element, multimedia, GIS, database

INTRODUCTION

A large area in central British Columbia has been infested by the mountain pine beetle (MPB), parts of this area have been the focus of several federal and provincial geoscience initiatives over the last 25 years (Fig. 1; Struik *et al.*, 2002). Results of this work have produced a large collection of publicly available multimedia regional geochemical information. Previous projects include regional-scale stream sediment and water surveys (Lett, 2005), lake sediment and water surveys (Cook *et al.*, 1997, 1998, 1999; Jackaman, 2006; Jackaman, in press), till programs (Levson and Giles, 1997; Levson *et al.*, 2001; Plouffe *et al.*, 2001; Levson, 2002; Lett *et al.*, 2006; Paulen and Lett, 2006), biogeochemistry studies (Dunn, 1997; Cook and Dunn, 2006) plus numerous associated research activities. To date, over 22 000 regional sites have been sampled in parts of the 150 000 km² MPB infestation area (Fig. 2). Survey results include in excess of 750 000 analytical determinations for a wide range of metals and pathfinder elements.

The MPB Infestation Area Regional Geochemical Data Repository Project will produce a GIS database of existing regional geochemical data and associated geospatial information. The resulting digital framework will improve access to the information for the mineral exploration industry, assist in the planning of detailed surveys and targeted studies, identify gaps in geochemical data that can be profiled for future attention, and provide long-term data management advantages.




Figure 1. Location of study area, central BC.

PROJECT DESCRIPTION AND METHODOLOGY

The primary goal of this project is to consolidate this diverse data landscape into a functional data repository. The resulting framework will include valuable regional geochemical data and associated geospatial information that can be easily accessed and incorporated into a wide range of exploration and research activities. The repository will provide immediate benefits of data access, delivery and functionality.

Within the study area, in excess of 22 000 multimedia regional geochemical sample sites have been identified. Although this data is publicly available there is no central repository that provides comprehensive access to the information and associated geospatial datasets. To accomplish this task various actions are being taken. These include repository framework development and implementation; data acquisition and documentation; data compilation, profiling and quality assessment; and data manipulation and presentation.

¹Geoscience BC contribution GBC029

²Consultant, Sooke, BC

This publication is also available, free of charge, as colour digital files in Adobe Acrobat® PDF format from the BC Ministry of Energy, Mines and Petroleum Resources website at <http://www.em.gov.bc.ca/Mining/Geosurv/Publications/catalog/catfldwk.htm>




Figure 2. Location of various regional geochemical sample sites in the study area, central BC.




Figure 3. Distribution of Cu+Mo+Au in drainage sediment samples in the study area, overlain by known porphyry mineral occurrences (MINFILE, 2006), central BC.

The initial stage of the project is to establish a digital framework that will provide easy access to the repository and improved functionality of the multifaceted geochemical information. This structure must meet the needs of a client base with a wide range of computer expertise and also be compatible with common GIS applications. In addition, future repository updates and amendments must be easily accomplished.

Secondly, potential data source agencies and data custodians have been contacted to establish access to the most recent versions of their datasets. This will provide an opportunity to acquire and generate a complete and accurate inventory and understanding of the information and its attributes including data history, features and limiting factors.

Once the collected information has been assembled into the digital framework, quality assurance checks will be conducted to ensure data is accurate and complete. At this point, attribute relationships can be defined between datasets and initial data manipulations can proceed. The merging of the geochemical data with digital topographic and other geospatial base maps within a GIS environment will enable the production of a wide range of regional thematic maps of the study area. For example, Figure 3 represents the distribution of Cu+Mo+Au in 16 000 drainage sediment samples. Overlying the contoured geochemical map image are known porphyry occurrences that were extracted from the provincial mineral inventory (MINFILE, 2006) database.

DATA DELIVERY

To demonstrate the utility of the collection, a number of thematic maps will be produced in a style similar to a geochemical atlas. The initial series of maps plus the first version of raw geochemical data, statistical summaries and associated geospatial data coverage will be presented on a CD and distributed at the Cordilleran Roundup in Vancouver, BC, in 2007. The compilation will also be made available on the ministry's MapPlace website (BC Geological Survey, 2006).

ACKNOWLEDGMENTS

The author wishes to acknowledge Geoscience BC for project support, the contributions being made by the various data custodians and R. Lett for his editorial comments.

REFERENCES

- BC Geological Survey (2006): MapPlace GIS internet mapping system; *BC Ministry of Energy, Mines and Petroleum Resources*, MapPlace website, URL <<http://www.MapPlace.ca>>.
- Cook, S.J. and Dunn, C.E. (2006): Preliminary results of the Cordilleran geochemistry project: a comparative assessment of soil geochemical methods for detecting buried mineral deposits, 3Ts Au-Ag prospect (NTS 93F/3), central British Columbia; in *Geological Fieldwork 2005, BC Ministry of Energy, Mines and Petroleum Resources*, Paper 2006-1 and *Geoscience BC*, Report 2006-1, pages 237–257.
- Cook, S.J., Jackaman, W., Lett, R.E.W., McCurdy, M.W. and Day, S.J. (1999): Regional lake water geochemistry of parts of the Nechako Plateau, central British Columbia (93F/2, 3; 93K/9, 10, 15, 16; 93L/9, 16; 93M/1, 2, 7, 8); *BC Ministry of Energy, Mines and Petroleum Resources*, Open File 1999-5.
- Cook, S.J., Jackaman, W., McCurdy, M.W., Day, S.J. and Friske, P.W.B. (1997): Regional lake sediment and water geochemistry of part of the Fort Fraser map area, British Columbia (93K/9, 10, 15, 16); *BC Ministry of Energy, Mines and Petroleum Resources*, Open File 1996-15.
- Cook, S.J., Lett, R.E.W., Levson, V.M., Jackaman, W., Coneys, A.M. and Wyatt, G.J. (1998): Regional lake sediment and water geochemistry of the Babine porphyry belt, central British Columbia (93L/9, 16; 93M/1, 2, 7, 8); *BC Ministry of Energy, Mines and Petroleum Resources*, Open File 1997-17.
- Dunn, C.E. (1997): Biogeochemical surveys in the Interior Plateau of British Columbia; in *Interior Plateau Geoscience Project: Summary of Geological, Geochemical and Geophysical Studies*, Diakow, L.J. and Newell, J.M., Editors, *Geological Survey of Canada*, Open File 3448 and *BC Ministry of Energy, Mines and Petroleum Resources*, Paper 1997-2, pages 205–218.
- Jackaman, W. (2006): Regional drainage sediment and water geochemistry of part of the Nechako River and Anahim Lake map areas (NTS 93C and 93F); *Geoscience BC*, Report 2006-4.
- Jackaman, W. (in press): South Nechako Basin and Cariboo Basin Lake sediment geochemical survey (parts of NTS map sheets 92O, 92P, 93A and 93B); *Geoscience BC*.
- Lett, R.E.W. (2005): Regional geochemical survey database on CD; *BC Ministry of Energy, Mines and Petroleum Resources*, Geofile 2005-17.
- Lett, R.E.W., Cook, S.J. and Levson, V. (2006): Till geochemistry of the Chilanko Forks, Chezacut, Clusko River and Toil Mountain map areas, British Columbia (NTS 93C/1, 8, 9 and 16); *BC Ministry of Energy, Mines and Petroleum Resources*, Geofile 2006-01.
- Levson, V.M. (2002). Quaternary geology and till geochemistry of the Babine porphyry copper belt, British Columbia (NTS 93L/9, 16, M/1, 2, 7, 8); *BC Ministry of Energy, Mines and Petroleum Resources*, Bulletin 110, 278 pages.
- Levson, V.M. and Giles, T.R. (1997): Quaternary geology and till geochemistry studies in the Nechako and Fraser plateaus, central British Columbia (NTS 93C/1, 8, 9, 10; F/2, 3, 7; L/16; M/1); in *Interior Plateau Geoscience Project: Summary of Geological, Geochemical and Geophysical Studies*, Diakow, L.J. and Newell, J.M., Editors, *Geological Survey of Canada*, Open File 3448 and *BC Ministry of Energy, Mines and Petroleum Resources*, Paper 1997-2, pages 121–147.
- Levson, V.M., Mate, D., Stumpf, A.J. and Stewart, A. (2001): Till geochemistry of the Tetachuck Lake and Marilla map areas (NTS 93 F/5 and F/12); *BC Ministry of Energy, Mines and Petroleum Resources*, Open File 2001-15.
- MINFILE (2006): MINFILE BC mineral deposits database; *BC Ministry of Energy, Mines and Petroleum Resources*, URL <<http://www.em.gov.bc.ca/Mining/Geolsurv/Minfile/>> [November 2006].
- Paulen, R.C. and Lett, R.E.W. (2006): Till geochemistry: a viable tool for polymetallic mineral exploration in British Columbia's southern interior; *BC Ministry of Energy, Mines and Petroleum Resources*, Geofile 2005-18.
- Plouffe, A., Levson, V.M. and Mate, D.J. (2001): Till geochemistry of the Nechako River map area (NTS 93F), central British Columbia; *Geological Survey of Canada*, Open File 4166, 66 pages.
- Struik, L.C., MacIntyre, D. and Hastings, N.L. (2002): Geochemistry data, Nechako NATMAP project; *Geological Survey of Canada*, Open File 4356 and *BC Ministry of Energy, Mines and Petroleum Resources*, Paper 2001-9, 1 CD-ROM.